



Printable
Natural look and feel






Grey

6002LP-20024



White

6002LP-20183




Grey

6002LP-20024



Black

6002LP-20007




Vanilla

6002LP-10387




Beige

6002LP-20191




Poppy

6002LP-8255




Burgundy

6002LP-20186



Taupe

6002LP-20165




Chocolate

6002LP-20204



Terracotta

6002LP-20185



Tennis green

6002LP-20184



Spruce

6002LP-2156



Caribbean blue

6002LP-50667



Navy

6002LP-20189

Applications

Commercial and retail awnings & canopies
Umbrellas
Tents & pergolas



■ Advantages

Waterproof with textile look

Lightweight

Printable varnish

Long term strength
and durability

High UV resistance

High mold resistance,
simple to clean

GREENGUARD Gold certified
for indoor air quality

100% recyclable with
Taxyloop

A natural fiber
look that is waterproof
and easy to clean




Soltis

Proof Vivo

■ Technical properties

Standards

Yarn	550 dtex PES HT	
Finish	printable matt varnish	TERSUISSE 
Weight	14.7 oz/sqyd	EN ISO 2286-2
Width	66.9 inches	
Length	54.68 yds	

■ Physical properties

Tensile strength (warp/weft)	220/180 daN/ 5 cm	EN ISO 1421
Tear strength (warp/weft)	20/17 daN	DIN 53.363
Adhesion	8/8 daN/ 5 cm	EN ISO 2411
Flame retardancy	Method 1 & 2 / NFPA 701 • CSFMT19 • Class A / ASTM E84	
Quality management standard		ISO 9001

■ Tools and services

— Warranty available upon request

■ Certifications, labels, warranty, recycling



**8 year
warranty**



**Swiss
Made**

The technical data above are average values with a +/- 5% tolerance. The buyer of our products is fully responsible for their application or their transformation concerning any possible third party. The buyer of our products is responsible for their implementation and installation according to the standards, use and customs and safety rules of the countries where they are used. For information on our contractual warranty, please refer to the relevant terms and conditions. The values quoted above represent results of tests performed in compliance with common design practices and are provided for information only to enable customers to make the best use of our products. Our products are subjects to evolutions due to technical progress, we remain entitled to modify the characteristics of our products at any time. The buyer of our products is responsible for checking the validity of the above data.